
GRADUATE AND POSTDOCTORAL STUDIES

McGILL UNIVERSITY



FINAL ORAL EXAMINATION FOR THE DEGREE OF DOCTOR OF PHILOSOPHY

OF

KRITTIKA MITTAL DEPARTMENT OF NATURAL RESOURCE SCIENCES

THE USE OF TRADITIONAL AND ALTERNATIVE METHODS TO STUDY ENDOCRINE DISRUPTION IN MODEL AVIAN SPECIES

13th June 2018 9:15 AM

Macdonald Stewart Building, Room MS2-022 McGill University, Macdonald Campus

COMMITTEE:

- Dr. A. Watson (Pro-Dean) (Plant Science)
- Dr. L. Whyte (Chair) (Natural Resource Sciences)
- Dr. N. Basu (Supervisor) (Natural Resource Sciences)
- Dr. S. George (Internal Examiner) (Food Science and Agricultural Chemistry)
- Dr. S. Faucher (Internal Member) (Natural Resource Sciences)
- Dr. R. Duggavathi (External Member) (Animal Science)

Dr. Josephine Nalbantoglu, Dean of Graduate and Postdoctoral Studies

Members of the Faculty and Graduate Students

are invited to attend

ABSTRACT

Chemical contamination is a global threat with over 100,000 chemicals currently lacking toxicity data. Toxicity testing of chemicals is integral to hazard determination and risk assessment. Traditional whole animal (*in vivo*) testing, which has been the mainstay for several decades, often tend not to account for sex, developmental stage, and duration of exposure. They are also resource-intensive and raise significant ethical concerns pe(g)6(n)ifi-2(ns)-1(t)--1(t)-(,)-acnd d-1(t)ml stverndeo reso) tr3(u)- 3(rc)f.003 T/C2_.001 Tc T* [(de)<.964.96A0215>4 Tf 2 den00,0005(0(pos)-1(ur)3(e)4(. T)1(h)f)3(t (nd)-10(du n0(pos)-1(ut1 1 T)

analysis covering a larger biological space may be needed to identify genomic biomarkers that could be linked to apical outcomes. In Aim 3, hierarchical clustering analysis of gene expression results across three alternative methods showed similarities between liver slice culture and in ovo liver, while hepatocytes were more different from the in ovo liver. In Aim 4, bibliometric searches of resource-related costs from various datastreams showed that the status quo in toxicity testing will likely be unable to provide toxicity data for all existing and emerging chemicals. For example, median cost of in vivo studies is \$118,000, they tend to use 130 animals and take around 4.5 months, while median cost of in vitro studies is \$2,500, they tend to use 20-40 animals and take around 2 weeks. In summary, this work demonstrated that liver slices showed similarities to the in ovo liver and indicated potential for the use of alternatives in toxicity testing; further, this work showed that even using traditional methods results may vary depending on factors such as sex, developmental stage, and exposure duration. This thesis advances knowledge on two fronts: A) differences among alternative testing methods to aid in their future implementation in toxicity testing of chemicals, and the reduction of traditional methods, and B) the importance of including aforementioned factors while examining molecular and biochemical endpoints in toxicity studies.

CURRICULUM VITAE UNIVERSITY EDUCATION

2014 – present	PhD Renewable Resources, McGill University, Montreal. Thesis: The use of traditional and novel methods to study endocrine disruption in model avian species. Supervisor: Dr. Nil Basu.
2009 – 2011	M.S. (Non-thesis) Biomedical Engineering, University of Michigan, Ann Arbor. Concentration: Biotechnology
2005 - 2009	B.E. Biotechnology, People's Education Society Institute of Technology, Visvesvaraya

EMPLOYMENT

2011-2013 Research Associate, University of Michigan, Ann Arbor,2(y)20550 Tn -0 0 9.48 113.76 561.24 Tm [(I)-4(T)0

Technological University, Bangalore.

PUBLICATIONS

IN PREP

- 1. **Mittal K.**, Crump D., Basu N. A Comparative Study of Alternative Toxicity Testing Methods: Effects on Hepatic Gene Expression in the Chicken Embryo. In prep, expected submission June 2018. *Environmental Toxicology and Chemistry*.
- 2. **Mittal K.**, Crump D., Head J., Hecker M., Hogan N., Xia J., Hickey G., Maguire S., Basu N. Can Alternative Toxicity Testing Methods be more Efficient than Traditional Methods? In prep, expected submission July 2018. *Environmental Science and Technology*.
- 3. **Mittal K.**, Henry P.F.P., Cornman R.S., Sprague D.T., Basu N., Karouna-Renier N.K. Sex- and Developmental Stage-related Differences in the Hepatic Transcriptome of Japanese quail (*Coturnix japonica*) Exposed to 17 -Trenbolone. In prep, expected submission July 2018. *Environmental Toxicology and Chemistry*.
- 4. **Mittal K.**, Henry P.F.P., Armstrong B., Murphy C., Basu N., Karouna-Renier N.K. Assessing Short-Term Effects of 17 Trenbolone on the Japanese Quail Hypothalamic-Pituitary-Gonadal-Liver Axis. In prep, expected submission July 2018.

4. Head, J. A., **Mittal, K.,** & Basu, N. (2014). Application of the LUminometric Methylation Assay to ecological spo22(t/p2(221 s): ti4(s)